



# RISE™

CONCEALABLE  
ARMOR SYSTEM



## MALE SIZE AND FIT GUIDE

### A Superior Fit Matters

It's vitally important to ensure body armor is properly sized. A ballistic armor vest that fits properly will provide maximum comfort, mobility, performance and protection. A vest that doesn't fit may fail in any or all of these categories, with potentially life-threatening consequences.

Every custom RISE carrier has been engineered to accommodate full range of motion while providing premium safety and performance. Simply follow the step-by-step sizing process for a superior fit.

### Communication is Paramount

Open and on-going dialogue between the sizer and officer helps achieve the best-fit vest and a comfortable experience. If the officer has worn body armor in the past, be sure to discuss any areas of satisfaction, concern or improvement prior to sizing.

### A few pointers before getting started:

1. Read this guide in its entirety prior to sizing. Watch the RISE male sizing video on our Vimeo channel to see a detailed sizing experience in action.
2. Use a cloth measuring tape for all measurements. Pull the tape so it is snug, but not tight to the skin. For chest and girth measurements, check that the tape does not run high or low, but runs parallel to the ground.
3. Always have another person do the measuring to ensure accuracy. Conducting solo measurements will compromise the integrity of the measurements.
4. Take measurements wearing a standard active-duty undershirt, uniform shirt, uniform pants and complete duty belt with equipment loaded in all holsters and holders.
5. Take and record actual measurements. Do not round up or down.

**Please measure carefully. Inaccurate measurements may require size modifications which could incur additional expense and delay delivery.**



Thank you for measuring with care! You will soon be protected by a custom ballistic armor vest engineered to offer you a superior fit. Once we have received your sizing form, we will email your estimated delivery date.

If you have questions at any time, please contact us:  
sales@angelarmor.com / 970 235 2961

### Contact

First Name \_\_\_\_\_

Last Name \_\_\_\_\_

Department Affiliation \_\_\_\_\_

Title/Position \_\_\_\_\_

Badge Number \_\_\_\_\_

Phone Number \_\_\_\_\_

Email Address \_\_\_\_\_

Contact Preference (check one)  Phone  Email

### Shipping Address

Street \_\_\_\_\_

City \_\_\_\_\_

State \_\_\_\_\_ Zip \_\_\_\_\_

Country \_\_\_\_\_

### Order Information

Purchased From \_\_\_\_\_

Purchase Date \_\_\_\_\_

Quote Number \_\_\_\_\_

Purchase Order \_\_\_\_\_

### Measurements

Date of Measurement \_\_\_\_\_

Measured By (person's name) \_\_\_\_\_

Location of Fitting \_\_\_\_\_

Officer Gender **MALE**

Officer Age \_\_\_\_\_

Officer Height \_\_\_\_FEET \_\_\_\_INCHES

Officer Weight \_\_\_\_\_ LBS

Do you intend to gain/lose 10 lbs or more over the next 6 months?

Yes  No

### Payment Method

Cash  Check  Credit  Other

### 1

#### Select Your Product (check one box)

- RISE Ultra Premium NIJ Level IIIA
- RISE Ultra Premium NIJ Level II
- RISE Premium NIJ Level IIIA
- RISE Premium NIJ Level II


### 2

#### Customize Your Protection

Elevate your protection with the Truth SNAP™ plate system. The two-piece design protects against NIJ Level III threats, including the AK-47, 5.56x45mm M193 and .308, and NIJ Spike levels as well.

#### Select Your Product (indicate quantity of each plate)

- |  |  |   |
|--|--|---|
| <input type="checkbox"/> Truth 44S, 5x8                | <input type="checkbox"/> Truth 47S, 5x8                | <input type="checkbox"/> Truth 308S, 5x8                |
| <input type="checkbox"/> Truth 44S, 7x9                | <input type="checkbox"/> Truth 47S, 7x9                | <input type="checkbox"/> Truth 308S, 7x9                |
| <input type="checkbox"/> Truth 44S, 8x10               | <input type="checkbox"/> Truth 47S, 8x10               | <input type="checkbox"/> Truth 308S, 8x10               |
| <input type="checkbox"/> Truth 44S, 8x10 Shooter's Cut | <input type="checkbox"/> Truth 47S, 8x10 Shooter's Cut | <input type="checkbox"/> Truth 308S, 8x10 Shooter's Cut |



### 3

#### Extras (indicate quantity of each)

- Clips  Belt  Extra Carrier

### 4

#### Size and Fit Exceptions

Notes:

By signing below, I acknowledge and approve the Size and Fit Exceptions noted above. I also understand that if I size myself, I am responsible for any alteration fees that may apply.

Officer Signature or Initials

### 5 Submit Your Sizing Form

#### MAIL TO:

Angel Armor  
Attn: Sales/Sizing  
4557 Denrose Court  
Fort Collins, CO 80524

#### EMAIL TO:

sales@angelarmor.com

**By submitting this information, I acknowledge that this information is presented as accurately as possible.**

Officer Signature \_\_\_\_\_ Date \_\_\_\_\_

### STANDING



Stand straight, arms relaxed:

Follow these guidelines to complete your measurements.

For best accuracy, please have another person measure you.


#### What to Wear:

- ▶ Standard undershirt, uniform shirt and uniform pants
- ▶ Duty belt with equipment loaded in holsters and holders

#### Tools Needed:

- ▶ Soft measuring tape
- ▶ Armless chair


Questions? We can help you measure for a superior fit. Contact us.



### 1 Full Chest Measurement

INCHES

Wrap the measuring tape under the arms and around the widest part of the officer's chest. Check that the tape is parallel to the ground. Ask the officer to take two deep breaths. At the apex of their second breath, adjust the measuring tape and record that measurement.




### 2 Total Girth Measurement

INCHES

Wrap the measuring tape around the officer's waist. Have the officer place an index finger inside their belly button, and rest the measuring tape on top of their index finger. Check that the tape is parallel to the ground. Ask the officer to take two deep breaths. At the apex of their second breath, adjust the measuring tape and record that measurement.


### 5 Select Side Panel Overlap:

(check one box)



0"  1"  2" (recommended)

Overlap other than 2" is at officer's discretion; note and sign box 4 on page 2 if 0" or 1" is checked.



### 3 Back Panel Length Measurement


INCHES

Measure from the base of the uniform collar on the back, down to the top of the duty belt. Move the measuring tape up a half inch from the top of the duty belt to avoid any equipment. Working up from that position, stop in half-inch increments. Use your thumb to gently indent the tape into the officer's back at each increment, explaining that the location of your thumb will reflect the location of the bottom of the back vest panel. Confirm their comfort level at every half-inch increment until the officer is satisfied with the height, and record that measurement.

### SEATED



Standard seated position, relaxed upper body:



### 4 Central Panel Measurement

INCHES

Measure from the notch at the top of the sternum down to the top of the duty belt. Move the measuring tape up a half inch from the top of the duty belt to avoid any equipment. Working up from that position, stop in half-inch increments. Use your thumb to gently indent the tape into the officer's abdomen at each increment, explaining that the location of your thumb will reflect the location of the bottom of the front vest panel. Confirm their comfort level at every half-inch increment until the officer is satisfied with the height, and record that measurement.

### Accessory Accommodations

Do you plan to wear trauma plates with your vest?  FRONT  BACK  BOTH

If yes, what size and brand? Size \_\_\_\_\_ Brand \_\_\_\_\_

Input measurements from above	1	2	3	4	5	
	<input style="width: 40px; height: 25px;" type="text"/>	<input style="width: 40px; height: 25px;" type="text"/>				
					<input type="checkbox"/> 0" <input type="checkbox"/> 1" <input type="checkbox"/> 2"	<div style="border: 1px solid black; width: 40px; height: 25px; margin-bottom: 5px;"></div> OFFICER INITIALS

For Internal Use Only

Front Panel  Back Panel  Carrier  Belt