

# TRUTH SNAP<sup>®</sup>

## MODULAR PLATE SYSTEM

"I wear my Truth SNAP rifle plate every single night on patrol. I'm extremely happy with the product and it eases my family's mind to know that I have it."

Matthew Wilson  
Deputy Sheriff in Madison County

**THE NEXT GENERATION  
IN OFFICER SAFETY**



# ICW SERIES



**308**  
ULTRA

**308**  
PREMIUM

**308**  
STANDARD

.308 + SPIKE LEVEL 3



**855**  
CERAMIC  
STRIKE FACE

**308**  
.308 / MSC / .556  
+ SPIKE LEVEL 3

**M855**  
COMBINED

## NEVER GO TO YOUR TRUNK FOR ARMOR AGAIN™

### GROUNDBREAKING

- Thinnest, lightest, certified plate system on the market
- Patented, magnetic and modular SNAP system
- Proprietary, multi-curve design with a refined aesthetic finish

### SUPERIOR SAFETY

- Certified to NIJ 0101.06 Standard (Level III) — designed to be worn in conjunction with RISE Armor Packages or other soft body armor vests
- Advanced handgun, rifle, stab and special threat protection exceed NIJ standards
- Multi-round capable plates with dual-strike face design

### SCALABLE

- SNAP the 855 Strike Face Plate for tiered rifle and handgun protection — armor up or down
- Base Plate selections scale in weight, thickness and price
- Available in a variety of cuts and sizes





## 308 STANDARD

AAS302

**CERTIFIED TO NIJ STANDARD 0101.06 (LEVEL III) WHEN WORN IN CONJUNCTION WITH RISE LEVEL IIIA ULTRA PREMIUM ARMOR PACKAGE\***

CPL Model Designation:  
AAS302 ICW, RISE, Ultra, Premium, Male IIIA

### SPECIAL THREAT PROTECTION

- Tested to NIJ 0101.07 standard when worn in conjunction with RISE Level II or Level IIIA Armor Packages:

7.62x51mm M80 Ball NATO FMJ Steel Jacket @ 2780 fps (847 m/s)

7.62x39mm MSC Type 56 @ 2400 fps (732 m/s)

5.56mm M193 @ 3250 fps (990 m/s)

ICW 855 Strike Face Plate: 5.56mm M855 @ 3115 fps (950 m/s)

- Meets NIJ 0115.00 Stab Resistance Spike Level III Standard

**THICKNESS** 0.70" (17.8mm)

**AREAL DENSITY** 3.46 lb/ft<sup>2</sup>  
(1.69 g/cm<sup>2</sup>)

### SIZES AND WEIGHTS

**5 x 8" Full Cut\*\***  
0.96 lb (0.44 kg)

**7 x 9" Full Cut**  
1.52 lb (0.69 kg)

**8 x 10" Shooter's Cut**  
1.67 lb (0.76 kg)

**8 x 10" Full Cut**  
1.94 lb (0.88 kg)

**9 x 11" Shooter's Cut**  
2.10 lb (0.95 kg)

**9 x 11" Full Cut**  
2.41 lb (1.09 kg)

**10 x 12" Shooter's Cut**  
2.58 lb (1.17 kg)

**10 x 12" Full Cut**  
2.94 lb (1.33 kg)

## 308 PREMIUM

AAP301.1

**CERTIFIED TO NIJ STANDARD 0101.06 (LEVEL III) WHEN WORN IN CONJUNCTION WITH RISE LEVEL IIIA STANDARD AND PREMIUM ARMOR PACKAGES\***

CPL Model Designation: AAP301.1 ICW AAP3A03

CPL Model Designation: AAP301.1 ICW AAS3A01

### SPECIAL THREAT PROTECTION

- Tested to NIJ 0101.07 standard when worn in conjunction with RISE Level II or Level IIIA Armor Packages:

7.62x51mm M80 Ball NATO FMJ Steel Jacket @ 2780 fps (847 m/s)

7.62x39mm MSC Type 56 @ 2400 fps (732 m/s)

5.56mm M193 @ 3250 fps (990 m/s)

ICW 855 Strike Face Plate: 5.56mm M855 @ 3115 fps (950 m/s)

- Meets NIJ 0115.00 Stab Resistance

**THICKNESS** 0.62" (15.7mm)

**AREAL DENSITY** 3.02 lb/ft<sup>2</sup>  
(1.47 g/cm<sup>2</sup>)

### SIZES AND WEIGHTS

**6 x 6" Side Plate\*\***  
0.76 lb (0.34 kg)

**5 x 8" Full Cut\*\***  
0.84 lb (0.38 kg)

**7 x 9" Full Cut**  
1.33 lb (0.60 kg)

**8 x 10" Shooter's Cut**  
1.46 lb (0.66 kg)

**8 x 10" Full Cut**  
1.70 lb (0.77 kg)

**9 x 11" Shooter's Cut**  
1.83 lb (0.83 kg)

**9 x 11" Full Cut**  
2.11 lb (0.96 kg)

**10 x 12" Shooter's Cut**  
2.26 lb (1.03 kg)

**10 x 12" Full Cut**  
2.57 lb (1.17 kg)

## 308 ULTRA

AAU301

**CERTIFIED TO NIJ STANDARD 0101.06 (LEVEL III) WHEN WORN IN CONJUNCTION WITH RISE LEVEL IIIA ULTRA PREMIUM ARMOR PACKAGE\***

CPL Model Designation:  
AAU301 ICW RISE, Ultra Premium, Male, IIIA

### SPECIAL THREAT PROTECTION

- Tested to NIJ 0101.07 standard when worn in conjunction with RISE Level II or Level IIIA Armor Packages:

7.62x51mm M80 Ball NATO FMJ Steel Jacket @ 2780 fps (847 m/s)

7.62x39mm MSC Type 56 @ 2400 fps (732 m/s)

5.56mm M193 @ 3250 fps (990 m/s)

ICW 855 Strike Face Plate: 5.56mm M855 @ 3115 fps (950 m/s)

- Meets NIJ 0115.00 Stab Resistance Spike Level III Standard

**THICKNESS** 0.53" (13.5mm)

**AREAL DENSITY** 2.60 lb/ft<sup>2</sup>  
(1.18 g/cm<sup>2</sup>)

### SIZES AND WEIGHTS

**6 x 6" Side Plate\*\***  
0.65 lb (0.29 kg)

**5 x 8" Full Cut\*\***  
0.72 lb (0.33 kg)

**7 x 9" Full Cut**  
1.14 lb (0.52 kg)

**8 x 10" Shooter's Cut**  
1.26 lb (0.57 kg)

**8 x 10" Full Cut**  
1.46 lb (0.66 kg)

**9 x 11" Shooter's Cut**  
1.58 lb (0.72 kg)

**9 x 11" Full Cut**  
1.81 lb (0.82 kg)

**10 x 12" Shooter's Cut**  
1.94 lb (0.88 kg)

**10 x 12" Full Cut**  
2.21 lb (1.00 kg)

## 855

**SNAP THE 855 STRIKE FACE PLATE TO ANY TRUTH SNAP BASE PLATE FOR M855 PROTECTION.**

**TESTED TO NIJ STANDARD 0101.06 (LEVEL III) WHEN WORN IN CONJUNCTION WITH RISE ARMOR PACKAGES AND TRUTH SNAP BASE PLATES\***

- 7.62x51mm M80 Ball NATO FMJ Steel Jacket @ 2780 fps (847 m/s)

### SPECIAL THREAT PROTECTION

- Tested to NIJ 0101.07 standard when worn in conjunction with RISE Armor Packages and Truth SNAP Base Plates:

5.56mm M855 @ 3115 fps (950 m/s)

**THICKNESS** 0.45" (11.43MM)

**AREAL DENSITY** 3.13 lb/ft<sup>2</sup>  
(1.53 g/cm<sup>2</sup>)

### SIZES AND WEIGHTS

**7 x 9" Full Cut**  
1.39 lb (0.63 kg)

**8 x 10" Shooter's Cut**  
1.53 lb (0.69 kg)

**8 x 10" Full Cut**  
1.77 lb (0.80 kg)

**9 x 11" Shooter's Cut**  
1.89 lb (0.86 kg)

**9 x 11" Full Cut**  
2.18 lb (0.99 kg)

**10 x 12" Shooter's Cut**  
2.35 lb (1.07 kg)

**10 x 12" Full Cut**  
2.69 lb (1.22 kg)

**855 STRIKE FACE PLATE MUST BE WORN WITH ICW TRUTH SNAP BASE PLATES.**

\*Independently tested in accordance with NIJ standards. Full test details and reports available upon request.





## 308 STANDARD + 855

**THICKNESS** 1.15" (29.23mm)

**AREAL DENSITY** 6.59 lb/ft<sup>2</sup> (3.22 g/cm<sup>2</sup>)

**SIZES AND WEIGHTS**

<b>7 x 9" Full Cut</b>	2.91 lb (1.32 kg)
<b>8 x 10" Shooter's Cut</b>	3.20 lb (1.45 kg)
<b>8 x 10" Full Cut</b>	3.71 lb (1.68 kg)
<b>9 x 11" Shooter's Cut</b>	3.99 lb (1.81 kg)
<b>9 x 11" Full Cut</b>	4.59 lb (2.08 kg)
<b>10 x 12" Shooter's Cut</b>	4.93 lb (2.24 kg)
<b>10 x 12" Full Cut</b>	5.63 lb (2.55 kg)



## 308 PREMIUM + 855

**THICKNESS** 1.07" (27.13mm)

**AREAL DENSITY** 6.15 lb/ft<sup>2</sup> (3.00 g/cm<sup>2</sup>)

**SIZES AND WEIGHTS**

<b>7 x 9" Full Cut</b>	2.72 lb (1.23 kg)
<b>8 x 10" Shooter's Cut</b>	2.99 lb (1.36 kg)
<b>8 x 10" Full Cut</b>	3.47 lb (1.57 kg)
<b>9 x 11" Shooter's Cut</b>	3.72 lb (1.68 kg)
<b>9 x 11" Full Cut</b>	4.29 lb (1.95 kg)
<b>10 x 12" Shooter's Cut</b>	4.61 lb (2.09 kg)
<b>10 x 12" Full Cut</b>	5.26 lb (2.39 kg)



## 308 ULTRA + 855

**THICKNESS** 0.98" (24.93mm)

**AREAL DENSITY** 5.73 lb/ft<sup>2</sup> (2.79 g/cm<sup>2</sup>)

**SIZES AND WEIGHTS**

<b>7 x 9" Full Cut</b>	2.53 lb (1.15 kg)
<b>8 x 10" Shooter's Cut</b>	2.79 lb (1.27 kg)
<b>8 x 10" Full Cut</b>	3.23 lb (1.47 kg)
<b>9 x 11" Shooter's Cut</b>	3.47 lb (1.57 kg)
<b>9 x 11" Full Cut</b>	3.99 lb (1.80 kg)
<b>10 x 12" Shooter's Cut</b>	4.29 lb (1.95 kg)
<b>10 x 12" Full Cut</b>	4.90 lb (2.22 kg)



# TRUTH SNAP<sup>®</sup> PLATE BACKER



DISPERSES PROJECTILE IMPACT



## NIJ STANDARD 0101.06 CERTIFIED

## LEVEL II

### PREMIUM 2.0 AAP201

Areal Density (ASTM D3776M-09A Option C)	0.79 lb/ft <sup>2</sup> • 3.86 kg/m <sup>2</sup>
Thickness (ASTM D1777)	0.16" • 0.41 cm
V-50 9mm FMJ	1722 fps • 525 m/s
V-50 .357 MAG	1679 fps • 515 m/s
Special Threats	Available Upon Request

PAIR WITH TRUTH SNAP ARMOR PLATES FOR STAND ALONE USE

## NIJ STANDARD 0101.06 CERTIFIED

## LEVEL IIIA

	ELITE AAE3A01	ULTRA PREMIUM RISE, Ultra Premium, Male,	PREMIUM AAP3A03	STANDARD AAS3A01
Areal Density (ASTM D3776M-09A Option C)	0.88 lb/ft <sup>2</sup> • 4.30 kg/m <sup>2</sup>	0.97 lb/ft <sup>2</sup> • 4.74 kg/m <sup>2</sup>	1.13 lb/ft <sup>2</sup> • 5.51 kg/m <sup>2</sup>	1.24 lb/ft <sup>2</sup> • 6.05 kg/m <sup>2</sup>
Thickness (ASTM D1777)	0.25" • 0.64 cm	0.298" • 0.757 cm	0.238" • 0.604 cm	0.26" • 0.66 cm
V-50 .357 SIG	1868 fps • 569 mps	1888 fps • 575 m/s	1866 fps • 568 m/s	1785 fps • 544 m/s
V-50 .44 MAG	1717 fps • 523 mps	1730 fps • 527 m/s	1721 fps • 521 m/s	1583 fps • 483 m/s
Special Threats	Available Upon Request	<b>FBI Body Armor Test Protocol 4.1</b> • 9mm 124gr FMJ • .40 S&W 165gr GDHP • 9mm 127gr +P+ SXT • .45 AUTO	Available Upon Request	Available Upon Request

### AVAILABLE SIZES:

- 9 x 11" Shooter's Cut
- 9 x 11" Full Cut
- 10 x 12" Shooter's Cut
- 10 x 12" Full Cut



Durable, 200D nylon finish with weatherproof seal.



COMING SOON

# 308 ELITE

STAND ALONE SERIES



**308  
ELITE**

.308 + SPIKE LEVEL 3



**855**  
CERAMIC  
STRIKE FACE

**308**

.308 / MSC / .556  
+ SPIKE LEVEL 3

**M855**  
COMBINED

## NEXT GENERATION IN OFFICER SAFETY

### NEXT-GEN TECNOLOGY

- Thinnest, lightest, certified stand alone plate system on the market
- Patented, magnetic and modular SNAP system for immediate adjustment
- Proprietary, multi-curve design with durable aesthetic finish for years of service

### UNMATCHED PROTECTION

- Stand alone plate certified to NIJ 0101.06 Standard (Level III) with minimal back face deformation
- Stops high-powered handgun, rifle, stab and special threat protection, exceeding industry standards
- Proven multi-hit performance with dual-strike face design

### ADAPTABLE SYSTEM

- SNAP the 855 Strike Face Plate for tiered rifle protection
- Available in Full, Shooter's and SAPI cuts with a variety of sizes





## 308 ELITE

AASA303

**CERTIFIED TO NIJ STANDARD 0101.06 (LEVEL III) STAND ALONE**

CPL Model Designation: AASA303

### SPECIAL THREAT PROTECTION

- Tested to NIJ 0101.07:
  - 7.62x51mm M80 Ball NATO FMJ Steel Jacket @ 2780 fps (847 m/s)
  - 7.62x39mm MSC Type 56 @ 2400 fps (732 m/s)
  - 5.56mm M193 @ 3250 fps (990 m/s)
  - ICW 855 Strike Face Plate @ 5.56mm M855 @ 3115 fps (950 m/s)
- Meets NIJ 0115.00 Standard Resistance Spike Level III Standard

**THICKNESS** 0.69" (17.5mm)

**AREAL DENSITY** 3.28 lb/ft<sup>2</sup> (1.60 g/cm<sup>2</sup>)

### SIZES AND WEIGHTS

6 x 6" Side Plate**	0.82 lb (0.37 kg)
7 x 9" Full Cut	1.44 lb (0.65 kg)
8 x 10" Shooter's Cut	1.59 lb (0.72 kg)
8 x 10" Full Cut	1.84 lb (0.83 kg)
9 x 11" Shooter's Cut	1.99 lb (0.90 kg)
9 x 11" Full Cut	2.29 lb (1.04 kg)
10 x 12" Shooter's Cut	2.45 lb (1.11 kg)
10 x 12" Full Cut	2.79 lb (1.27 kg)
10 x 12" SAPI Cut	2.64 lb (1.20 kg)
10 x 13" SAPI Cut	2.84 lb (1.29 kg)
11 x 14" SAPI Cut	3.42 lb (1.55 kg)



## 855

**SNAP THE 855 STRIKE FACE PLATE TO ANY TRUTH SNAP BASE PLATE FOR M855 PROTECTION.**

**TESTED TO NIJ STANDARD 0101.06 (LEVEL III) WHEN WORN IN CONJUNCTION WITH TRUTH SNAP BASE PLATES\***

- 7.62x51mm M80 Ball NATO FMJ Steel Jacket @ 2780 fps (847 m/s)

### SPECIAL THREAT PROTECTION

- Tested to NIJ 0101.07 standard 5.56mm M855 @ 3115 fps (950 m/s)

**THICKNESS** 0.45" (11.43mm)

**AREAL DENSITY** 3.13 lb/ft<sup>2</sup> (1.53 g/cm<sup>2</sup>)

### SIZES AND WEIGHTS

7 x 9" Full Cut	1.39 lb (0.63 kg)
8 x 10" Shooter's Cut	1.53 lb (0.69 kg)
8 x 10" Full Cut	1.77 lb (0.80 kg)
9 x 11" Shooter's Cut	1.89 lb (0.86 kg)
9 x 11" Full Cut	2.18 lb (0.99 kg)
10 x 12" Shooter's Cut	2.35 lb (1.07 kg)
10 x 12" Full Cut	2.69 lb (1.22 kg)
10 x 12" SAPI Cut	2.55 lb (1.16 kg)
10 x 13" SAPI Cut	2.75 lb (1.25 kg)
11 x 14" SAPI Cut	3.30 lb (1.50 kg)

**855 STRIKE FACE PLATE MUST BE WORN WITH TRUTH SNAP BASE PLATES.**

\*Independently tested in accordance with NIJ standards. Full test details and reports available upon request.





**308 ELITE + 855**

**COMING SOON**



**THICKNESS** 1.14" (28.95mm)

**AREAL DENSITY** 6.41 lb/ft<sup>2</sup> (3.13 g/cm<sup>2</sup>)

**SIZES AND WEIGHTS**

**7 x 9" Full Cut** 2.83 lb (1.29 kg)

**8 x 10" Shooter's Cut** 3.12 lb (1.41 kg)

**8 x 10" Full Cut** 3.62 lb (1.64 kg)

**8 x 11" Shooter's Cut** 3.91 lb (1.77 kg)

**9 x 11" Full Cut** 4.50 lb (2.04 kg)

**10 x 12" Shooter's Cut** 4.81 lb (2.18 kg)

**10 x 12" Full Cut** 5.49 lb (2.49 kg)

**10 x 12" SAPI Cut** 5.18 lb (2.35 kg)

**10 x 13" SAPI Cut** 5.59 lb (2.54 kg)

**11 x 14" SAPI Cut** 6.72 lb (3.05 kg)

**COMING SOON**

\*Independently tested in accordance with NIJ standards. Full test details and reports available upon request.



**ANGEL ARMOR®**

Angel Armor exists to protect and preserve the pursuit of life, liberty and happiness for First Responders and their families.

\*\*5x8" and 6x6" plates are tested to NIJ Standards.