

# TRUTH SNAP<sup>®</sup>

## MODULAR PLATE SYSTEM

"I wear my Truth SNAP rifle plate every single night on patrol. I'm extremely happy with the product and it eases my family's mind to know that I have it."

Matthew Wilson  
Deputy Sheriff in Madison County

**THE NEXT GENERATION  
IN OFFICER SAFETY**



# ICW SERIES



**308**  
ULTRA

**308**  
PREMIUM

**308**  
STANDARD

.308 + SPIKE LEVEL 3



**855**  
CERAMIC  
STRIKE FACE

**308**  
.308 / MSC / .556  
+ SPIKE LEVEL 3

**M855**  
COMBINED

## NEVER GO TO YOUR TRUNK FOR ARMOR AGAIN™

### GROUNDBREAKING

- Thinnest, lightest, certified plate system on the market
- Patented, magnetic and modular SNAP system
- Proprietary, multi-curve design with a refined aesthetic finish

### SUPERIOR SAFETY

- Certified to NIJ 0101.06 Standard (Level III) — designed to be worn in conjunction with RISE Armor Packages or other soft body armor vests
- Advanced handgun, rifle, stab and special threat protection exceed NIJ standards
- Multi-round capable plates with dual-strike face design

### SCALABLE

- SNAP the 855 Strike Face Plate for tiered rifle and handgun protection — armor up or down
- Base Plate selections scale in weight, thickness and price
- Available in a variety of cuts and sizes





## 308 STANDARD

AAS302

**CERTIFIED TO NIJ STANDARD 0101.06 (LEVEL III) WHEN WORN IN CONJUNCTION WITH RISE LEVEL IIIA ULTRA PREMIUM ARMOR PACKAGE\***

CPL Model Designation:

AAS302 ICW, RISE, Ultra, Premium, Male IIIA

### SPECIAL THREAT PROTECTION

- Tested to NIJ 0101.07 standard when worn in conjunction with RISE Level II or Level IIIA Armor Packages:

7.62x51mm M80 Ball NATO FMJ Steel Jacket @ 2780 fps (847 m/s)

7.62x39mm MSC Type 56 @ 2400 fps (732 m/s)

5.56mm M193 @ 3250 fps (990 m/s)

ICW 855 Strike Face Plate: 5.56mm M855 @ 3115 fps (950 m/s)

- Meets NIJ 0115.00 Stab Resistance Spike Level III Standard

**THICKNESS** 0.70" (17.8mm)

**AREAL DENSITY** 3.46 lb/ft<sup>2</sup>  
(1.69 g/cm<sup>2</sup>)

### SIZES AND WEIGHTS

**5 x 8" Full Cut\*\***  
0.96 lb (0.44 kg)

**7 x 9" Full Cut**  
1.52 lb (0.69 kg)

**8 x 10" Shooter's Cut**  
1.67 lb (0.76 kg)

**8 x 10" Full Cut**  
1.94 lb (0.88 kg)

**9 x 11" Shooter's Cut**  
2.10 lb (0.95 kg)

**9 x 11" Full Cut**  
2.41 lb (1.09 kg)

**10 x 12" Shooter's Cut**  
2.58 lb (1.17 kg)

**10 x 12" Full Cut**  
2.94 lb (1.33 kg)



## 308 PREMIUM

AAP301.1

**CERTIFIED TO NIJ STANDARD 0101.06 (LEVEL III) WHEN WORN IN CONJUNCTION WITH RISE LEVEL IIIA STANDARD AND PREMIUM ARMOR PACKAGES\***

CPL Model Designation: AAP301.1 ICW AAP3A03

CPL Model Designation: AAP301.1 ICW AAS3A01

### SPECIAL THREAT PROTECTION

- Tested to NIJ 0101.07 standard when worn in conjunction with RISE Level II or Level IIIA Armor Packages:

7.62x51mm M80 Ball NATO FMJ Steel Jacket @ 2780 fps (847 m/s)

7.62x39mm MSC Type 56 @ 2400 fps (732 m/s)

5.56mm M193 @ 3250 fps (990 m/s)

ICW 855 Strike Face Plate: 5.56mm M855 @ 3115 fps (950 m/s)

- Meets NIJ 0115.00 Stab Resistance

**THICKNESS** 0.62" (15.7mm)

**AREAL DENSITY** 3.02 lb/ft<sup>2</sup>  
(1.47 g/cm<sup>2</sup>)

### SIZES AND WEIGHTS

**6 x 6" Side Plate\*\***  
0.76 lb (0.34 kg)

**5 x 8" Full Cut\*\***  
0.84 lb (0.38 kg)

**7 x 9" Full Cut**  
1.33 lb (0.60 kg)

**8 x 10" Shooter's Cut**  
1.46 lb (0.66 kg)

**8 x 10" Full Cut**  
1.70 lb (0.77 kg)

**9 x 11" Shooter's Cut**  
1.83 lb (0.83 kg)

**9 x 11" Full Cut**  
2.11 lb (0.96 kg)

**10 x 12" Shooter's Cut**  
2.26 lb (1.03 kg)

**10 x 12" Full Cut**  
2.57 lb (1.17 kg)



## 308 ULTRA

AAU301

**CERTIFIED TO NIJ STANDARD 0101.06 (LEVEL III) WHEN WORN IN CONJUNCTION WITH RISE LEVEL IIIA ULTRA PREMIUM ARMOR PACKAGE\***

CPL Model Designation:

AAU301 ICW RISE, Ultra Premium, Male, IIIA

### SPECIAL THREAT PROTECTION

- Tested to NIJ 0101.07 standard when worn in conjunction with RISE Level II or Level IIIA Armor Packages:

7.62x51mm M80 Ball NATO FMJ Steel Jacket @ 2780 fps (847 m/s)

7.62x39mm MSC Type 56 @ 2400 fps (732 m/s)

5.56mm M193 @ 3250 fps (990 m/s)

ICW 855 Strike Face Plate: 5.56mm M855 @ 3115 fps (950 m/s)

- Meets NIJ 0115.00 Stab Resistance Spike Level III Standard

**THICKNESS** 0.53" (13.5mm)

**AREAL DENSITY** 2.60 lb/ft<sup>2</sup>  
(1.18 g/cm<sup>2</sup>)

### SIZES AND WEIGHTS

**6 x 6" Side Plate\*\***  
0.65 lb (0.29 kg)

**5 x 8" Full Cut\*\***  
0.72 lb (0.33 kg)

**7 x 9" Full Cut**  
1.14 lb (0.52 kg)

**8 x 10" Shooter's Cut**  
1.26 lb (0.57 kg)

**8 x 10" Full Cut**  
1.46 lb (0.66 kg)

**9 x 11" Shooter's Cut**  
1.58 lb (0.72 kg)

**9 x 11" Full Cut**  
1.81 lb (0.82 kg)

**10 x 12" Shooter's Cut**  
1.94 lb (0.88 kg)

**10 x 12" Full Cut**  
2.21 lb (1.00 kg)



## 855

**SNAP THE 855 STRIKE FACE PLATE TO ANY TRUTH SNAP BASE PLATE FOR M855 PROTECTION.**

**TESTED TO NIJ STANDARD 0101.06 (LEVEL III) WHEN WORN IN CONJUNCTION WITH RISE ARMOR PACKAGES AND TRUTH SNAP BASE PLATES\***

- 7.62x51mm M80 Ball NATO FMJ Steel Jacket @ 2780 fps (847 m/s)

### SPECIAL THREAT PROTECTION

- Tested to NIJ 0101.07 standard when worn in conjunction with RISE Armor Packages and Truth SNAP Base Plates:

5.56mm M855 @ 3115 fps (950 m/s)

**THICKNESS** 0.45" (11.43mm)

**AREAL DENSITY** 3.13 lb/ft<sup>2</sup>  
(1.53 g/cm<sup>2</sup>)

### SIZES AND WEIGHTS

**7 x 9" Full Cut**  
1.39 lb (0.63 kg)

**8 x 10" Shooter's Cut**  
1.53 lb (0.69 kg)

**8 x 10" Full Cut**  
1.77 lb (0.80 kg)

**9 x 11" Shooter's Cut**  
1.89 lb (0.86 kg)

**9 x 11" Full Cut**  
2.18 lb (0.99 kg)

**10 x 12" Shooter's Cut**  
2.35 lb (1.07 kg)

**10 x 12" Full Cut**  
2.69 lb (1.22 kg)

**855 STRIKE FACE PLATE MUST BE WORN WITH ICW TRUTH SNAP BASE PLATES.**



## 308 STANDARD + 855

**THICKNESS** 1.15" (29.23mm)

**AREAL DENSITY** 6.59 lb/ft<sup>2</sup> (3.22 g/cm<sup>2</sup>)

### SIZES AND WEIGHTS

7 x 9" Full Cut	2.91 lb (1.32 kg)
8 x 10" Shooter's Cut	3.20 lb (1.45 kg)
8 x 10" Full Cut	3.71 lb (1.68 kg)
9 x 11" Shooter's Cut	3.99 lb (1.81 kg)
9 x 11" Full Cut	4.59 lb (2.08 kg)
10 x 12" Shooter's Cut	4.93 lb (2.24 kg)
10 x 12" Full Cut	5.63 lb (2.55 kg)



## 308 PREMIUM + 855

**THICKNESS** 1.07" (27.13mm)

**AREAL DENSITY** 6.15 lb/ft<sup>2</sup> (3.00 g/cm<sup>2</sup>)

### SIZES AND WEIGHTS

7 x 9" Full Cut	2.72 lb (1.23 kg)
8 x 10" Shooter's Cut	2.99 lb (1.36 kg)
8 x 10" Full Cut	3.47 lb (1.57 kg)
9 x 11" Shooter's Cut	3.72 lb (1.68 kg)
9 x 11" Full Cut	4.29 lb (1.95 kg)
10 x 12" Shooter's Cut	4.61 lb (2.09 kg)
10 x 12" Full Cut	5.26 lb (2.39 kg)



## 308 ULTRA + 855

**THICKNESS** 0.98" (24.93mm)

**AREAL DENSITY** 5.73 lb/ft<sup>2</sup> (2.79 g/cm<sup>2</sup>)

### SIZES AND WEIGHTS

7 x 9" Full Cut	2.53 lb (1.15 kg)
8 x 10" Shooter's Cut	2.79 lb (1.27 kg)
8 x 10" Full Cut	3.23 lb (1.47 kg)
9 x 11" Shooter's Cut	3.47 lb (1.57 kg)
9 x 11" Full Cut	3.99 lb (1.80 kg)
10 x 12" Shooter's Cut	4.29 lb (1.95 kg)
10 x 12" Full Cut	4.90 lb (2.22 kg)



# TRUTH SNAP<sup>®</sup>

## PLATE BACKER

DISPERSES PROJECTILE IMPACT



### NIJ STANDARD 0101.06 CERTIFIED

### LEVEL II

#### PREMIUM 2.0 AAP201

Areal Density  
(ASTM D3776M-09A Option C)

0.79 lb/ft<sup>2</sup> • 3.86 kg/m<sup>2</sup>

Thickness (ASTM D1777)

0.16" • 0.41 cm

V-50 9mm FMJ

1722 fps • 525 m/s

V-50 .357 MAG

1679 fps • 515 m/s

Special Threats

Available Upon Request



PAIR WITH TRUTH SNAP ARMOR PLATES FOR STAND ALONE USE

### NIJ STANDARD 0101.06 CERTIFIED

### LEVEL IIIA

#### ELITE AAE3A01

#### ULTRA PREMIUM RISE, Ultra Premium, Male,

#### PREMIUM AAP3A03

#### STANDARD AAS3A01

Areal Density  
(ASTM D3776M-09A Option C)

0.88 lb/ft<sup>2</sup> • 4.30 kg/m<sup>2</sup>

0.97 lb/ft<sup>2</sup> • 4.74 kg/m<sup>2</sup>

1.13 lb/ft<sup>2</sup> • 5.51 kg/m<sup>2</sup>

1.24 lb/ft<sup>2</sup> • 6.05 kg/m<sup>2</sup>

Thickness  
(ASTM D1777)

0.25" • 0.64 cm

0.298" • 0.757 cm

0.238" • 0.604 cm

0.26" • 0.66 cm

V-50 .357 SIG

1868 fps • 569 mps

1888 fps • 575 m/s

1866 fps • 568 m/s

1785 fps • 544 m/s

V-50 .44 MAG

1717 fps • 523 mps

1730 fps • 527 m/s

1721 fps • 521 m/s

1583 fps • 483 m/s

Special Threats

Available Upon Request

#### FBI Body Armor Test Protocol 4.1

- 9mm 124gr FMJ
- .40 S&W 165gr GDHP
- 9mm 127gr +P+ SXT
- .45 AUTO

Available Upon Request

Available Upon Request

#### AVAILABLE SIZES:

9 x 11" Shooter's Cut

9 x 11" Full Cut

10 x 12" Shooter's Cut

10 x 12" Full Cut



PAIR WITH  
TRUTH SNAP  
PLATE SYSTEM

Durable, 200D  
nylon finish with  
weatherproof seal.



PROTECTION AT A HIGHER LEVEL<sup>®</sup>

# 308 ELITE

## STAND ALONE SERIES



**308  
ELITE**

.308 + SPIKE LEVEL 3



**855**  
CERAMIC  
STRIKE FACE

**308**  
.308 / MSC / .556  
+ SPIKE LEVEL 3

**M855**  
COMBINED

## NEXT GENERATION IN OFFICER SAFETY

### NEXT-GEN TECNOLOGY

- Thinnest, lightest, certified stand alone plate system on the market
- Patented, magnetic and modular SNAP system for immediate adjustment
- Proprietary, multi-curve design with durable aesthetic finish for years of service

### UNMATCHED PROTECTION

- Stand alone plate certified to NIJ 0101.06 Standard (Level III) with minimal back face deformation
- Stops high-powered handgun, rifle, stab and special threat protection, exceeding industry standards
- Proven multi-hit performance with dual-strike face design

### ADAPTABLE SYSTEM

- SNAP the 855 Strike Face Plate for tiered rifle protection
- Available in Full, Shooter's and SAPI cuts with a variety of sizes





## 308 ELITE

AASA303

**CERTIFIED TO NIJ STANDARD 0101.06 (LEVEL III) STAND ALONE**

CPL Model Designation: AASA303

### SPECIAL THREAT PROTECTION

- Tested to NIJ 0101.07:
  - 7.62x51mm M80 Ball NATO FMJ Steel Jacket @ 2780 fps (847 m/s)
  - 7.62x39mm MSC Type 56 @ 2400 fps (732 m/s)
  - 5.56mm M193 @ 3250 fps (990 m/s)
  - ICW 855 Strike Face Plate: 5.56mm M855 @ 3115 fps (950 m/s)
- Meets NIJ 0115.00 Stab Resistance Spike Level III Standard

**THICKNESS** 0.69" (17.5mm)

**AREAL DENSITY** 3.28 lb/ft<sup>2</sup> (1.60 g/cm<sup>2</sup>)

### SIZES AND WEIGHTS

7 x 9" Full Cut	1.44 lb (0.65 kg)
8 x 10" Shooter's Cut	1.59 lb (0.72 kg)
8 x 10" Full Cut	1.84 lb (0.83 kg)
9 x 11" Shooter's Cut	1.99 lb (0.90 kg)
9 x 11" Full Cut	2.29 lb (1.04 kg)
10 x 12" Shooter's Cut	2.45 lb (1.11 kg)
10 x 12" Full Cut	2.79 lb (1.27 kg)
10 x 12" SAPI Cut	2.64 lb (1.20 kg)
10 x 13" SAPI Cut	2.84 lb (1.29 kg)
11 x 14" SAPI Cut	3.42 lb (1.55 kg)
6 x 6" Side Plate**	0.82 lb (0.37 kg)

COMING  
SOON



## 855

**SNAP THE 855 STRIKE FACE PLATE TO ANY TRUTH SNAP BASE PLATE FOR M855 PROTECTION.**

**TESTED TO NIJ STANDARD 0101.06 (LEVEL III) WHEN WORN IN CONJUNCTION WITH TRUTH SNAP BASE PLATES\***

- 7.62x51mm M80 Ball NATO FMJ Steel Jacket @ 2780 fps (847 m/s)

### SPECIAL THREAT PROTECTION

- Tested to NIJ 0101.07 standard 5.56mm M855 @ 3115 fps (950 m/s)

**THICKNESS** 0.45" (11.43mm)

**AREAL DENSITY** 3.13 lb/ft<sup>2</sup> (1.53 g/cm<sup>2</sup>)

### SIZES AND WEIGHTS

7 x 9" Full Cut	1.39 lb (0.63 kg)
8 x 10" Shooter's Cut	1.53 lb (0.69 kg)
8 x 10" Full Cut	1.77 lb (0.80 kg)
9 x 11" Shooter's Cut	1.89 lb (0.86 kg)
9 x 11" Full Cut	2.18 lb (0.99 kg)
10 x 12" Shooter's Cut	2.35 lb (1.07 kg)
10 x 12" Full Cut	2.69 lb (1.22 kg)
10 x 12" SAPI Cut	2.55 lb (1.16 kg)
10 x 13" SAPI Cut	2.75 lb (1.25 kg)
11 x 14" SAPI Cut	3.30 lb (1.50 kg)

COMING  
SOON

**855 STRIKE FACE PLATE MUST BE WORN WITH TRUTH SNAP BASE PLATES.**

\*Independently tested in accordance with NIJ standards. Full test details and reports available upon request.





308 ELITE + 855



THICKNESS 1.14" (28.95mm)	
AREAL DENSITY 6.41 lb/ft2 (3.13 g/cm2)	
SIZES AND WEIGHTS	
7 x 9" Full Cut	2.83 lb (1.29 kg)
8 x 10" Shooter's Cut	3.12 lb (1.41 kg)
8 x 10" Full Cut	3.62 lb (1.64 kg)
9 x 11" Shooter's Cut	3.91 lb (1.77 kg)
9 x 11" Full Cut	4.50 lb (2.04 kg)
10 x 12" Shooter's Cut	4.81 lb (2.18 kg)
10 x 12" Full Cut	5.49 lb (2.49 kg)
10 x 12" SAPI Cut	5.18 lb (2.35 kg)
10 x 13" SAPI Cut	5.59 lb (2.54 kg)
11 x 14" SAPI Cut	6.72 lb (3.05 kg)

\*Independently tested in accordance with NIJ standards.  
Full test details and reports available upon request.



Angel Armor exists to protect and preserve the pursuit of life, liberty and happiness for First Responders and their families.  
\*\*5x8" and 6x6" plates are tested to NIJ Standards.