

TRUTH SNAP[®]

MODULAR PLATE SYSTEM

"I wear my Truth SNAP rifle plate every single night on patrol. I'm extremely happy with the product and it eases my family's mind to know that I have it."

Matthew Wilson
Deputy Sheriff in Madison County

**THE NEXT GENERATION
IN OFFICER SAFETY**



ICW SERIES



308
ULTRA

308
PREMIUM

308
STANDARD

.308 + SPIKE LEVEL 3



855
CERAMIC
STRIKE FACE

308
.308 / MSC / .556
+ SPIKE LEVEL 3

M855
COMBINED

NEVER GO TO YOUR TRUNK FOR ARMOR AGAIN™

GROUNDBREAKING

- Thinnest, lightest, certified plate system on the market
- Patented, magnetic and modular SNAP system
- Proprietary, multi-curve design with a refined aesthetic finish

SUPERIOR SAFETY

- Certified to NIJ 0101.06 Standard (Level III) — designed to be worn in conjunction with RISE Armor Packages or other soft body armor vests
- Advanced handgun, rifle, stab and special threat protection exceed NIJ standards
- Multi-round capable plates with dual-strike face design

SCALABLE

- SNAP the 855 Strike Face Plate for tiered rifle and handgun protection — armor up or down
- Base Plate selections scale in weight, thickness and price
- Available in a variety of cuts and sizes

308 ULTRA

AAU301



CERTIFIED TO NIJ STANDARD 0101.06 (LEVEL III) WHEN WORN IN CONJUNCTION WITH RISE LEVEL IIIA ULTRA PREMIUM ARMOR PACKAGE*

CPL Model Designation: AAU301 ICW RISE, Ultra Premium, Male, IIIA

SPECIAL THREAT PROTECTION

- Tested to NIJ 0101.07 standard when worn in conjunction with RISE Level II or Level IIIA Armor Packages:
 - 7.62x51mm M80 Ball NATO FMJ Steel Jacket @ 2780 fps (847 m/s)
 - 7.62x39mm MSC Type 56 @ 2400 fps (732 m/s)
 - 5.56mm M193 @ 3250 fps (990 m/s)
 - ICW 855 Strike Face Plate: 5.56mm M855 @ 3115 fps (950 m/s)
- Meets NIJ 0115.00 Stab Resistance Spike Level III Standard

THICKNESS 0.53" (13.5mm)

AREAL DENSITY 2.60 lb/ft2 (1.18 g/cm2)

SIZES AND WEIGHTS

5 x 8" Full Cut**	0.72 lb (0.33 kg)
7 x 9" Full Cut	1.14 lb (0.52 kg)
8 x 10" Shooter's Cut	1.26 lb (0.57 kg)
8 x 10" Full Cut	1.46 lb (0.66 kg)
9 x 11" Shooter's Cut	1.58 lb (0.72 kg)
9 x 11" Full Cut	1.81 lb (0.82 kg)
9 x 11" SAPI Cut	1.67 lb (0.76 kg)
10 x 12" Shooter's Cut	1.94 lb (0.88 kg)
10 x 12" Full Cut	2.21 lb (0.95 kg)
10 x 12" SAPI Cut	2.07 lb (1.20 kg)
10 x 13" SAPI Cut	2.24 lb (1.02 kg)
11 x 14" SAPI Cut	2.69 lb (1.23 kg)
6 x 6" Side Plate**	0.65 lb (0.29 kg)

*Independently tested in accordance with NIJ standards. Full test details and reports available upon request.



308 PREMIUM

AAP301.1



**CERTIFIED TO NIJ STANDARD 0101.06 (LEVEL III)
WHEN WORN IN CONJUNCTION WITH RISE LEVEL IIIA
STANDARD AND PREMIUM ARMOR PACKAGES***

CPL Model Designation: AAP301.1 ICW AAP3A03

CPL Model Designation: AAP301.1 ICW AAS3A01

SPECIAL THREAT PROTECTION

- Tested to NIJ 0101.07 standard when worn in conjunction with RISE Level II or Level IIIA Armor Packages:

7.62x51mm M80 Ball NATO FMJ Steel Jacket @ 2780 fps (847 m/s)

7.62x39mm MSC Type 56 @ 2400 fps (732 m/s)

5.56mm M193 @ 3250 fps (990 m/s)

ICW 855 Strike Face Plate: 5.56mm M855 @ 3115 fps (950 m/s)

- Meets NIJ 0115.00 Stab Resistance Spike Level III Standard
- Meets NIJ 0115.00 Stab Resistance Spike Level III Standard

THICKNESS 0.62" (15.7mm)

AREAL DENSITY 3.02 lb/ft² (1.47 g/cm²)

SIZES AND WEIGHTS

6 x 6" Side Plate**	0.76 lb (0.34 kg)
5 x 8" Full Cut**	0.84 lb (0.38 kg)
7 x 9" Full Cut	1.33 lb (0.60 kg)
8 x 10" Shooter's Cut	1.46 lb (0.66 kg)
8 x 10" Full Cut	1.70 lb (0.77 kg)
9 x 11" Shooter's Cut	1.83 lb (0.83 kg)
9 x 11" Full Cut	2.11 lb (0.96 kg)
10 x 12" Shooter's Cut	2.26 lb (1.03 kg)
10 x 12" Full Cut	2.57 lb (1.17 kg)

308 STANDARD

AAS302



**CERTIFIED TO NIJ STANDARD 0101.06 (LEVEL III)
WHEN WORN IN CONJUNCTION WITH RISE LEVEL IIIA
ULTRA PREMIUM ARMOR PACKAGE***

CPL Model Designation: AAS302 ICW, RISE, Ultra, Premium, Male IIIA

SPECIAL THREAT PROTECTION

- Tested to NIJ 0101.07 standard when worn in conjunction with RISE Level II or Level IIIA Armor Packages:

7.62x51mm M80 Ball NATO FMJ Steel Jacket @ 2780 fps (847 m/s)

7.62x39mm MSC Type 56 @ 2400 fps (732 m/s)

5.56mm M193 @ 3250 fps (990 m/s)

ICW 855 Strike Face Plate: 5.56mm M855 @ 3115 fps (950 m/s)

- Meets NIJ 0115.00 Stab Resistance Spike Level III Standard

THICKNESS 0.70" (17.8mm)

AREAL DENSITY 3.46 lb/ft² (1.69 g/cm²)

SIZES AND WEIGHTS

5 x 8" Full Cut**	0.96 lb (0.44 kg)
7 x 9" Full Cut	1.52 lb (0.69 kg)
8 x 10" Shooter's Cut	1.67 lb (0.76 kg)
8 x 10" Full Cut	1.94 lb (0.88 kg)
9 x 11" Shooter's Cut	2.10 lb (0.95 kg)
9 x 11" Full Cut	2.41 lb (1.09 kg)
10 x 12" Shooter's Cut	2.58 lb (1.17 kg)
10 x 12" Full Cut	2.94 lb (1.33 kg)

*Independently tested in accordance with NIJ standards.
Full test details and reports available upon request.



855 STRIKE FACE

SNAP THE 855 STRIKE FACE PLATE TO ANY TRUTH
SNAP BASE PLATE FOR M855 PROTECTION.



**TESTED TO NIJ STANDARD 0101.06 (LEVEL III) WHEN
WORN IN CONJUNCTION WITH RISE ARMOR PACKAGES
AND TRUTH SNAP BASE PLATES***

- 7.62x51mm M80 Ball NATO FMJ Steel Jacket @ 2780 fps (847 m/s)

SPECIAL THREAT PROTECTION

- Tested to NIJ 0101.07 standard when worn in conjunction with RISE
Armor Packages and Truth SNAP Base Plates:

5.56mm M855 @ 3115 fps (950 m/s)

**855 STRIKE FACE PLATE
MUST BE WORN WITH ICW
TRUTH SNAP BASE PLATES.**

THICKNESS 0.45" (11.43MM)

AREAL DENSITY 3.13 lb/ft² (1.53 g/cm²)

SIZES AND WEIGHTS

7 x 9" Full Cut	1.39 lb (0.63 kg)
8 x 10" Shooter's Cut	1.53 lb (0.69 kg)
8 x 10" Full Cut	1.77 lb (0.80 kg)
9 x 11" Shooter's Cut	1.89 lb (0.86 kg)
9 x 11" Full Cut	2.18 lb (0.99 kg)
10 x 12" Shooter's Cut	2.35 lb (1.07 kg)
10 x 12" Full Cut	2.69 lb (1.22 kg)

9 x 11" SAPI Cut

10 x 12" SAPI Cut

10 x 13" SAPI Cut

11 x 14" SAPI Cut

COMING
SOON

308 STANDARD + 855

THICKNESS 1.15" (29.23mm)

AREAL DENSITY 6.59 lb/ft² (3.22 g/cm²)

SIZES AND WEIGHTS

7 x 9" Full Cut	2.91 lb (1.32 kg)
8 x 10" Shooter's Cut	3.20 lb (1.45 kg)
8 x 10" Full Cut	3.71 lb (1.68 kg)
9 x 11" Shooter's Cut	3.99 lb (1.81 kg)
9 x 11" Full Cut	4.59 lb (2.08 kg)
10 x 12" Shooter's Cut	4.93 lb (2.24 kg)
10 x 12" Full Cut	5.63 lb (2.55 kg)



308 PREMIUM + 855

THICKNESS 1.07" (27.13mm)

AREAL DENSITY 6.15 lb/ft² (3.00 g/cm²)

SIZES AND WEIGHTS

7 x 9" Full Cut	2.72 lb (1.23 kg)
8 x 10" Shooter's Cut	2.99 lb (1.36 kg)
8 x 10" Full Cut	3.47 lb (1.57 kg)
9 x 11" Shooter's Cut	3.72 lb (1.68 kg)
9 x 11" Full Cut	4.29 lb (1.95 kg)
10 x 12" Shooter's Cut	4.61 lb (2.09 kg)
10 x 12" Full Cut	5.26 lb (2.39 kg)



308 ULTRA + 855

THICKNESS 0.98" (24.93mm)

AREAL DENSITY 5.73 lb/ft² (2.79 g/cm²)

SIZES AND WEIGHTS

7 x 9" Full Cut	2.53 lb (1.15 kg)
8 x 10" Shooter's Cut	2.79 lb (1.27 kg)
8 x 10" Full Cut	3.23 lb (1.47 kg)
9 x 11" Shooter's Cut	3.47 lb (1.57 kg)
9 x 11" Full Cut	3.99 lb (1.80 kg)
10 x 12" Shooter's Cut	4.29 lb (1.95 kg)
10 x 12" Full Cut	4.90 lb (2.22 kg)



9 x 11" SAPI Cut
10 x 12" SAPI Cut
10 x 13" SAPI Cut
11 x 14" SAPI Cut

COMING
SOON



TRUTH SNAP[®]

PLATE BACKER

DISPERSES PROJECTILE IMPACT



NIJ STANDARD 0101.06 CERTIFIED

LEVEL II

PREMIUM 2.0 AAP201

Areal Density
(ASTM D3776M-09A Option C)

0.79 lb/ft² • 3.86 kg/m²

Thickness (ASTM D1777)

0.16" • 0.41 cm

V-50 9mm FMJ

1722 fps • 525 m/s

V-50 .357 MAG

1679 fps • 515 m/s

Special Threats

Available Upon Request



PAIR WITH TRUTH SNAP ARMOR PLATES FOR STAND ALONE USE

NIJ STANDARD 0101.06 CERTIFIED

LEVEL IIIA

	ELITE AAE3A01	ULTRA PREMIUM RISE, Ultra Premium, Male,	PREMIUM AAP3A03	STANDARD AAS3A01
Areal Density (ASTM D3776M-09A Option C)	0.88 lb/ft ² • 4.30 kg/m ²	0.97 lb/ft ² • 4.74 kg/m ²	1.13 lb/ft ² • 5.51 kg/m ²	1.24 lb/ft ² • 6.05 kg/m ²
Thickness (ASTM D1777)	0.25" • 0.64 cm	0.298" • 0.757 cm	0.238" • 0.604 cm	0.26" • 0.66 cm
V-50 .357 SIG	1868 fps • 569 mps	1888 fps • 575 m/s	1866 fps • 568 m/s	1785 fps • 544 m/s
V-50 .44 MAG	1717 fps • 523 mps	1730 fps • 527 m/s	1721 fps • 521 m/s	1583 fps • 483 m/s
Special Threats	Available Upon Request	FBI Body Armor Test Protocol 4.1 <ul style="list-style-type: none"> • 9mm 124gr FMJ • .40 S&W 165gr GDHP • 9mm 127gr +P+ SXT • .45 AUTO 	Available Upon Request	Available Upon Request

AVAILABLE SIZES:

9 x 11" Shooter's Cut
9 x 11" Full Cut
10 x 12" Shooter's Cut
10 x 12" Full Cut



PAIR WITH
TRUTH SNAP
PLATE SYSTEM

Durable, 200D
nylon finish with
weatherproof seal.

308 ELITE

STAND ALONE SERIES



**308
ELITE**

.308 + SPIKE LEVEL 3



855
CERAMIC
STRIKE FACE

308
.308 / MSC / .556
+ SPIKE LEVEL 3

M855
COMBINED

NEXT GENERATION IN OFFICER SAFETY

NEXT-GEN TECNOLOGY

- Thinnest, lightest, certified stand alone plate system on the market
- Patented, magnetic and modular SNAP system for immediate adjustment
- Proprietary, multi-curve design with durable aesthetic finish for years of service

UNMATCHED PROTECTION

- Stand alone plate certified to NIJ 0101.06 Standard (Level III) with minimal back face deformation
- Stops high-powered handgun, rifle, stab and special threat protection, exceeding industry standards
- Proven multi-hit performance with dual-strike face design

ADAPTABLE SYSTEM

- SNAP the 855 Strike Face Plate for tiered rifle protection
- Available in Full, Shooter's and SAPI cuts with a variety of sizes



PROTECTION AT A HIGHER LEVEL®



308 ELITE

AASA303

CERTIFIED TO NIJ STANDARD 0101.06 (LEVEL III) STAND ALONE

CPL Model Designation: AASA303

SPECIAL THREAT PROTECTION

- Tested to NIJ 0101.07:
 - 7.62x51mm M80 Ball NATO FMJ Steel Jacket @ 2780 fps (847 m/s)
 - 7.62x39mm MSC Type 56 @ 2400 fps (732 m/s)
 - 5.56mm M193 @ 3250 fps (990 m/s)
 - ICW 855 Strike Face Plate: 5.56mm M855 @ 3115 fps (950 m/s)
- Meets NIJ 0115.00 Stab Resistance Spike Level III Standard

THICKNESS 0.69" (17.5mm)

AREAL DENSITY 3.28 lb/ft² (1.60 g/cm²)

SIZES AND WEIGHTS

7 x 9" Full Cut	1.36 lb (0.62 kg)
8 x 10" Shooter's Cut	1.49 lb (0.68 kg)
8 x 10" Full Cut	1.73 lb (0.78 kg)
9 x 11" Shooter's Cut	1.87 lb (0.85 kg)
9 x 11" Full Cut	2.15 lb (0.98 kg)
9 x 11" SAPI Cut	1.96 lb (0.89 kg)
10 x 12" Shooter's Cut	2.30 lb (1.04 kg)
10 x 12" Full Cut	2.63 lb (1.19 kg)
10 x 12" SAPI Cut	2.44 lb (1.11 kg)
10 x 13" SAPI Cut	2.81 lb (1.27 kg)
11 x 14" SAPI Cut	3.22 lb (1.46 kg)
6 x 6" Side Plate**	0.77 lb (0.35 kg)



855

SNAP THE 855 STRIKE FACE PLATE TO ANY TRUTH SNAP BASE PLATE FOR M855 PROTECTION.

TESTED TO NIJ STANDARD 0101.06 (LEVEL III) WHEN WORN IN CONJUNCTION WITH TRUTH SNAP BASE PLATES*

- 7.62x51mm M80 Ball NATO FMJ Steel Jacket @ 2780 fps (847 m/s)

SPECIAL THREAT PROTECTION

- Tested to NIJ 0101.07 standard 5.56mm M855 @ 3115 fps (950 m/s)

THICKNESS 0.45" (11.43mm)

AREAL DENSITY 3.13 lb/ft² (1.53 g/cm²)

SIZES AND WEIGHTS

7 x 9" Full Cut	1.39 lb (0.63 kg)
8 x 10" Shooter's Cut	1.53 lb (0.69 kg)
8 x 10" Full Cut	1.77 lb (0.80 kg)
9 x 11" Shooter's Cut	1.89 lb (0.86 kg)
9 x 11" Full Cut	2.18 lb (0.99 kg)
10 x 12" Shooter's Cut	2.35 lb (1.07 kg)
10 x 12" Full Cut	2.69 lb (1.22 kg)

9 x 11" SAPI Cut

10 x 12" SAPI Cut

10 x 13" SAPI Cut

11 x 14" SAPI Cut

COMING
SOON

855 STRIKE FACE PLATE MUST BE WORN WITH TRUTH SNAP BASE PLATES.



*Independently tested in accordance with NIJ standards. Full test details and reports available upon request.

PROTECTION AT A HIGHER LEVEL®
**5x8" and 6x6" plates are tested to NIJ Standards.

308 ELITE + 855



THICKNESS 1.14" (28.95mm)

AREAL DENSITY 6.41 lb/ft² (3.13 g/cm²)

SIZES AND WEIGHTS

7 x 9" Full Cut	2.75 lb (1.25 kg)
8 x 10" Shooter's Cut	3.02 lb (1.37 kg)
8 x 10" Full Cut	3.50 lb (1.58 kg)
9 x 11" Shooter's Cut	3.76 lb (1.71 kg)
9 x 11" Full Cut	4.33 lb (1.97 kg)
10 x 12" Shooter's Cut	4.66 lb (2.11 kg)
10 x 12" Full Cut	5.32 lb (2.41 kg)

9 x 11" SAPI Cut

10 x 12" SAPI Cut

10 x 13" SAPI Cut

11 x 14" SAPI Cut

COMING
SOON

*Independently tested in accordance with NIJ standards.
Full test details and reports available upon request.



RISE[®]

A SYSTEM BUILT FOR YOUR MISSION



Pair Ally One Accessories with RISE Carriers
for an elevated, mission-ready solution

